


J24EH001



II SIZE	1900*390*1000MM
▲ WEIGHT	72KG
Ø VOLTAGE	60V
MOTOR POWER	1500W
O TOP SPEED	45km/h
CONTROLLER	12T
BATTERY	60V12AH (LITHIUM BATTERY)
O TIRES	8INCH
BRAKE(F/R)	F&R:DISC BRAKE
ථ RANGE	35-40KM
⊘ CERTIFICATION	EEC

PAGE | 50

J24EH002



SPECIFICATIONS

II SIZE	1920*380*770MM
▲ WEIGHT	72KG
	60V
© MOTOR POWER	3000W
O TOP SPEED	45km/h
CONTROLLER	18T
BATTERY	60V12AH (LITHIUM BATTERY)
O TIRES	12INCH
BRAKE(F/R)	F:DISC BRAKE R:DRUM BRAKE
ථ RANGE	35-45KM
☑ CERTIFICATION	EEC









PART 04 HIGH-END ELECTRIC SCOOTER WWW.joykiebikes.com



J24EHS001





SPECIFICATIONS

II SIZE	1650*330*850MM	BATTERY	72V40
A WEIGHT	60KG		BATT
Ø VOLTAGE	72V	O TIRES	19INC
© MOTOR POWER	3000W	BRAKE(F/R)	F&R:D
O TOP SPEED	70km/h	ථ RANGE	100-1
CONTROLLER	18T		

J24EHS002

/40AH (LITHIUM FTERY) NCH R:DISC BRAKE)-110KM





SPECIFICATIONS

II SIZE	1970*680*1010MM
A WEIGHT	81KG
	72V
INDER POWER	4000W
O TOP SPEED	85km/h
CONTROLLER	24T



BATTERY

ତ TIRES © BRAKE(F/R) ଓ RANGE 72V40AH (LITHIUM BATTERY) 120/70-17 F&R:DISC BRAKE 150KM



J24EHS003



SPECIFICATIONS

II SIZE	18
▲ WEIGHT	11
	72
© MOTOR POWER	4(
O TOP SPEED	90
CONTROLLER	24
BATTERY	72
O TIRES	F:
BRAKE(F/R)	CI
৩ RANGE	13
⊘ CERTIFICATION	Eŧ



1855*800*1045MM

110KG

72V

4000W/5000W

90km/h / 105km/h

24T

72V58AH (LITHIUM BATTERY)

E:100/80-14 R:120/70-14

CBS DISC BRAKE

130KM

EEC

J24EHS004





SPECIFICATIONS

II SIZE	1960*780*1260MM	BATTERY	72V30A
A WEIGHT	125KG		BATTE
	72V	O TIRES	120/90
© MOTOR POWER	3000W	BRAKE(F/R)	F&R:DI
O TOP SPEED	70km/h	ථ RANGE	90KM
CONTROLLER	18T		

J24EHS005

/30AH (LITHIUM FTERY))/90-12 R:DISC BRAKE





SPECIFICATIONS

II SIZE	2130*780*1260MM
💩 WEIGHT	143KG/161KG
Ø VOLTAGE	72V
INDER POWER	3000W/5000W
O TOP SPEED	70km/h / 100km/h
CONTROLLER	18T/24T



BATTERY

ତ TIRES © BRAKE(F/R) ଓ RANGE 72V30AH (LITHIUM BATTERY) / 72V45AH (LITHIUM BATTERY) 110/90-14 F&R:DISC BRAKE 80KM

PART 05 SHARE RIDING www.joykiebikes.com

From concept to delivery, we provide product solutions.



J24ESR001






SPECIFICATIONS

II SIZE	1600*630*1010MM	BATTERY	48V15
▲ WEIGHT	52KG		BATT
⊘ VOLTAGE	48V	O TIRES	2.50-1
© MOTOR POWER	350W	BRAKE(F/R)	F&R:D
○ TOP SPEED	25km/h	ථ RANGE	50-80
CONTROLLER	6T		

J24ESR002



/15AH-24AH (LITHIUM TTERY) 0-16 R:DRUM BRAKE 80KM



SPECIFICATIONS

 Image: Size
 1560*1030*660MM

 Image: Weight
 52.5KG

 Voltrage
 48V

 Image: Motor Power
 350W

 Image: Top Speed
 25km/h

 Image: Controller
 6T



- BATTERY O TIRES
- © TIRES 2.50-16 © BRAKE(F/R) F&R:DRUM BRAKE
- C DRAKE(I/K)
- ి RANGE
- 90KM

48V24AH (LITHIUM BATTERY)

⊘ CERTIFICATION CCC



J24ESR003



SPECIFICATIONS

II SIZE WEIGHT VOLTAGE VOLTAGE NOTOR POV NOTOR POV TOP SPEED CONTROLL BATTERY BATTERY SRAKE(F/R) RANGE CERTIFICAT



	1560*1030*660MM
	52.5KG
	48V
OWER	350W
D	25km/h
LER	6T
	48V24AH (LITHIUM BATTERY)
	2.50-16
R)	F&R:DRUM BRAKE
	90KM
ATION	CCC

J24ESR004



II SIZE	1560*1030*660MM
▲ WEIGHT	52.5KG
	48V
MOTOR POWER	350W
O TOP SPEED	25km/h
CONTROLLER	6T
BATTERY	48V24AH (LITHIUM BATTERY)
O TIRES	2.50-16
BRAKE(F/R)	F&R:DRUM BRAKE
ථ RANGE	90KM
☑ CERTIFICATION	CCC

HILAND



PART 06

ELECTRIC TRIKE www.joykiebikes.com





SPECIFICATIONS

- II SIZE A WEIGHT Ø VOLTAGE
- 2000*880*850MM 120KG 60V/48V
- © MOTOR POWER 800W
- TOP SPEED 25km/h-45km/h
- CONTROLLER 12T

BATTERY O TIRES 3.00-10 BRAKE(F/R) **ව RANGE** 40-50KM ⊘ CERTIFICATION 3C

J24ETK002



FOOT BRAKE + HANDBRAKE





SPECIFICATIONS

II SIZE	1580*770*850MM
▲ WEIGHT	90KG
	60V/48V
MOTOR POWER	650W
O TOP SPEED	25-45km/h
CONTROLLER	12T



1	BATTERY
¢	TIRES
0	BRAKE(F/R)
୬	RANGE

FRONT DRUM BRAKE + FOOT BRAKE 30-50KM

3.00-8

60V20AH/48V20AH

⊘ CERTIFICATION 3C





SPECIFICATIONS

II	SIZE
RG	WEIGHT
Ø	VOLTAGE
Ō	MOTOR P
A	TOP SPE
_	CONTROL

1400*780*800MM 80KG

60V/48V

DR POWER 500W

EED 25-45km/h

CONTROLLER 9T

 ■ BATTERY
 60V20AH/48V20AH

 ○ TIRES
 3.00-8

 ● BRAKE(F/R)
 FRONT DRUM BRAKE +

 FOOT BRAKE
 FOOT BRAKE

 ● RANGE
 35-55KM

 ● CERTIFICATION
 3C

J24ETK004







SPECIFICATIONS

II SIZE	1550*670*1080MM
💩 WEIGHT	80KG
	72V
© MOTOR POWER	800W*2
O TOP SPEED	60km/h
CONTROLLER	12T*2



BATTERY

72V58AH (LITHIUM BATTERY)

- **TIRES** 3.00-10
- BRAKE(F/R) DISC BRKE
- **৩ RANGE** 90-100KM
- ⊘ CERTIFICATION 3C





II SIZE A WEIGHT C MOTOR PO O TOP SPEED CONTROLL BATTERY O TIRES BRAKE(F/F **ම RANGE**



SPECIFICATIONS

	2290*1190*1510MM
	240KG(WITHOUT BATTERY)
	60V/72V
OWER	1000W/1200W/2200W
ED	30-45km/h
LER	18T/24T
	60V45AH/72V45AH
	BEFORE:130/60-13;AFTER:125/65-12
'R)	DISC BRKE
	60KM





SPECIFICATIONS

II	SIZE
KG	WEIGHT
Ø	VOLTAGE
Ō	MOTOR PC
A	TOP SPEE
-	CONTROL

2130*985*1620MM 60V

- **OWER** 800W/1000W
 - ED
- CONTROLLER 18T
- 190KG(WITHOUT BATTERY)
- 35km/h

- BATTERY **O** TIRES
- BRAKE(F/R) **ම RANGE**
- DISC BRKE 60KM

J24ETK007



60V45AH BEFORE:110/70-12; AFTER:125/65-12



SPECIFICATIONS

II SIZE	2455*1155*1590MM
💩 WEIGHT	220KG(WITHOUT BATTER
	60V
MOTOR POWER	1500W/2000W
O TOP SPEED	35-45km/h
CONTROLLER	18T/24T



ERY)

BATTERY O TIRES

BRAKE(F/R) **ම RANGE**

60V55AH/60V80AH BEFORE:130/60-13M/C; AFTER:135/70-12 DISC BRKE 60KM